



Single Stage **Model HB-439**

Hz	HP	kW	SCFM	Pressure		Vacuum		Noise Level	Net Weight	
				mbar	"H2O	mbar	"H2O		kg	lbs
60	3.5	2.6	150	300	121	255	102	73 dbA	26	57
50	3	2.2	128	270	108	220	88	70 dbA	26	57

*Refer to curves below for detailed performance data. Data subject to change, actual performance may vary by ±10%. Contact All Star™ Products to verify current data.

STANDARD FEATURES

- Housing - Aluminum
- Impeller - high efficient design, dynamically balanced die cast aluminum
- Direct drive impeller
- Shock absorbing mounting base
- Quiet operation - well below OSHA maximum noise limits
- Inlet & outlet silencers included as standard
- Motor shaft seal standard
- IP 54 TEFC 2 pole squirrel cage ac motor
- 40 Deg C ambient
- Class H Insulation 1.15 service factor
- Standard voltage 3/60/208-230/460 3/50/220/380
- Performance tested ANSI/AMCA210-85 Laboratory Method





ACCESSORIES

- Pressure Relief Valve **RV-01**
- Vacuum Relief Valve **RV-01**
- Pressure Filter **F31P-200**
- Vacuum Filter **CSL-849-150HC**

TECHNICAL DATA

- Performance Temperature Curves
- CAD Files





Register at <http://www.all-star-usa.com> for online services for current technical data, AutoCad drawings, competitive interchange tables, engineering and application information, order entry, check shipment status and new product information.



Engineered value since 1986. Visit us at <http://www.all-star-usa.com>


Effective April 15, 2005

HB-439 SERIES



HB-449 SERIES

- 001 Impeller
- 002 Compressor cover
- 003 Compressor housing
- 004 Rotor
- 005 Silencer washer
- 006 Silencer mesh pipe
- 006-1 Silencer sponge
- 007 Motor complete
- 007-1 Motor cover
- 007-2 Fan cover
- 007-3 Terminal box
- 008 Silencer housing
- 009 Mounting plate
- 010 Bearing cover
- 011 Inlet flange
- 012-1 Washer
- 012-1 Washer t=2mm
- 013 Fan 16PP
- 014 6*10*22 Rotor pin
- 015 Wear washer
- 016 Bearing 6205zz
- 017 Bearing 6204zz
- 018 Oil seal 30427
- 019 Seal - cotton



Contact an All Star representative, distributor or the closest All Star office below.